

- 1) 32" BLACK VIT "CINCH TIES". ATTACH W/ TWO ROOFING NAILS. SEE PLAN VIEW.
- (2) 2" DIA. x 8' OR 10' LODGE POLE PINE STAKES. CUT STAKE AS DIRECTED BY LANDSCAPE ARCHITECT.
- (3) EXISTING SLOPE.
- (4) CUT SLOPE TO MEET PLANT PIT.
- (5) AMENDED BACKFILL. SEE SPECIFICATIONS FOR MIX AND PIT SIZE.

CITY ENGINEER

- (6) SCARIFY SIDES AND BOTTOM OF PLANTING PIT.
- (7) EXISTING SOIL.
- 8) PLANT TABLET.
- 9 SET TOP OF ROOTBALL 2" ABOVE SURROUNDING GRADE AND SLOPE FOR DRAINAGE. PROVIDE 2' DIA. MULCH RING AT TREES WITHIN TURF. ADJUST HEIGHT OF TREE PLANTING BASED ON SETTLING DUE TO SOIL TYPE.



## TREE STAKING AND PLANTING ON SLOPE

APPROVED:

DATE: 10-15-2013

STD. PLAN NUMBER 612-0

SHEET 1 OF 2

- WATER BASIN. 4" MIN FOR 5 GAL. & LARGER. SEE SPECS. REMOVE BASIN IN LAWN AREAS AND AS DIRECTED BY LANDSCAPE ARCHITECT.
- (11) COMPACTED BACKFILL PUDDLE AND SETTLE PRIOR TO SETTING TREE.
- (12) 2" MULCH, MAINTAIN CONSTANTLY.
- UNDISTURBED EXISTING SOIL TO FORM PEDESTAL, REPLACE W/ COMPACTED NATURAL SOIL IF HARDPAN EXISTS.

## NOTES:

- 1. PROVIDE (2) 3" DIA. x 6' DEEP AUGER HOLES IF EXCAVATED HOLE DOES NOT DRAIN FASTER THAN 1" PER HOUR AS DETERMINED BY SOILS REPORT AND FIELD CONDITIONS. PROVIDE TEST PIT FOR REVIEW.
- 2. SEE STD PLAN 614 FOR MULTI TRUNK TREE.
- 3. PROVIDE STAND PIPES FOR ALL PINES ON SLOPES PER BREA STD PLAN 614.



TREE STAKING AND PLANTING ON SLOPE

APPROVED:

DATE: 10-15-2013

STD. PLAN NUMBER

612-0

SHEET 2 OF 2